









МОДЕЛ	ЕНЕРГИЕН КЛАС охл./отопл.	SCOP/SEER	КАПАЦИТЕТ ОХЛАЖДАНЕ (kW)	КАПАЦИТЕТ ОТОПЛЕНИЕ (kW)	СНИМКА	ЦЕНА (с ДДС)
ИНВЕРТОРНИ СПЛИТ СИСТЕМИ КАСЕТЪЧЕН ТИП С ФРЕОН R32						
СЕРИЯ KVL ECO Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUXG09KVL / AOHG09KATA	A++ / A+	4.00 / 6.20	0.90 – 2.50 – 2.70	0.90 – 3.20 – 3.90		2 950 лв.
AUXG12KVL / AOHG12KATA	A++ / A+	4.00 / 6.10	0.90 – 3.50 – 3.70	0.90 – 4.10 – 4.40		3 150 лв.
AUXG14KVL / AOHG14KATA	A++ / A+	4.00 / 6.10	0.90 – 4.30 – 4.50	0.90 – 5.00 – 5.30		3 450 лв.
AUXG18KVL / AOHG18KATA	A++ / A	3.90 / 6.10	0.90 – 5.20 – 5.40	0.90 – 6.00 – 6.30		3 650 лв.
AUXG22KVL / AOHG22KATA	A++ / A	3.90 / 6.10	0.90 – 6.00 – 6.30	0.90 – 7.00 – 7.40		3 850 лв.
AUXG24KVL / AOHG24KATA	A+ / A	3.80 / 5.90	0.90 – 6.80 – 7.40	0.90 – 7.50 – 8.60		4 150 лв.
СЕРИЯ KVL PRO Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUNG09KVL / AOHG09KBTB	A++ / A+	4.40 / 6.70	0.90 – 2.50 – 3.20	0.90 – 3.20 – 4.70		3 450 лв.
AUNG12KVL / AOHG12KBTB	A++ / A+	4.30 / 6.60	0.90 – 3.50 – 4.40	0.90 – 4.10 – 5.70		3 650 лв.
AUNG14KVL / AOHG14KBTB	A++ / A+	4.40 / 6.50	0.90 – 4.30 – 5.40	0.90 – 5.00 – 6.50		3 950 лв.
AUNG18KVL / AOHG18KBTB	A++ / A+	4.20 / 6.60	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		4 150 лв.
AUNG22KVL / AOHG22KBTB	A++ / A+	4.30 / 6.60	0.90 – 6.00 – 6.70	0.90 – 7.00 – 8.00		4 350 лв.
AUNG24KVL / AOHG24KBTB	A++ / A+	4.00 / 6.10	0.90 – 6.80 – 8.00	0.90 – 7.50 – 9.10		4 650 лв.
СЕРИЯ KRL ECO монофазни Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUXG18KRL / AOHG18KATA	A++ / A+	4.10 / 6.20	0.90 – 5.20 – 5.40	0.90 – 6.00 – 6.30		4 150 лв.
AUXG22KRL / AOHG22KATA	A++ / A+	4.10 / 6.20	0.90 – 6.00 – 6.30	0.90 – 7.00 – 7.40		4 350 лв.
AUXG24KRL / AOHG24KATA	A++ / A+	4.00 / 6.10	0.90 – 6.80 – 7.40	0.90 – 7.50 – 8.60		4 650 лв.
AUXG30KRL / AOHG30KATA	A++ / A+	4.00 / 6.10	2.80 – 8.50 – 9.60	2.70 – 10.00 – 10.80		5 250 лв.
AUXG36KRL / AOHG36KATA	A++ / A+	4.00 / 6.10	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		5 750 лв.
AUXG45KRL / AOHG45KATA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		6 950 лв.
AUXG54KRL / AOHG54KATA			4.50 – 13.40 – 13.80	4.70 – 15.50 – 16.00		7 950 лв.
СЕРИЯ KRL PRO монофазни Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUXG18KRL / AOHG18KBTB	A++ / A+	4.30 / 7.00	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		4 550 лв.
AUXG22KRL / AOHG22KBTB	A++ / A+	4.40 / 7.00	0.90 – 6.00 – 6.70	0.90 – 7.00 – 8.00		4 750 лв.
AUXG24KRL / AOHG24KBTB	A++ / A+	4.20 / 6.60	0.90 – 6.80 – 8.00	0.90 – 7.50 – 9.10		5 050 лв.
AUXG30KRL / AOHG30KBTB	A++ / A+	4.30 / 6.70	2.80 – 8.50 – 10.00	2.70 – 10.00 – 11.20		5 650 лв.
AUXG36KRL / AOHG36KBTB	A++ / A+	4.30 / 6.55	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 150 лв.
AUXG45KRL / AOHG45KBTB			4.00 – 12.10 – 14.00	4.20 – 13.50 – 16.20		7 350 лв.
AUXG54KRL / AOHG54KBTB			4.50 – 13.40 – 14.50	4.70 – 15.50 – 16.50		8 950 лв.
СЕРИЯ KRL ECO трифазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUXG36KRL / AOHG36KQTA	A++ / A+	4.00 / 6.10	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		6 050 лв.
AUXG45KRL / AOHG45KQTA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		7 250 лв.
AUXG54KRL / AOHG54KQTA			4.50 – 13.40 – 13.80	4.70 – 15.50 – 16.00		8 300 лв.
СЕРИЯ KRL PRO трифазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUXG36KRL / AOHG36KRTA	A++ / A+	4.30 / 6.55	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 550 лв.
AUXG45KRL / AOHG45KRTA			4.00 – 12.10 – 14.00	4.20 – 13.50 – 16.20		7 750 лв.
AUXG54KRL / AOHG54KRTA			4.50 – 13.40 – 14.50	4.70 – 15.50 – 16.50		9 350 лв.
СЕРИЯ KRL ECO черен монофазни Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUXG18KRL / AOHG18KATA	A++ / A+	4.10 / 6.20	0.90 – 5.20 – 5.40	0.90 – 6.00 – 6.30		4 480 лв.
AUXG22KRL / AOHG22KATA	A++ / A+	4.10 / 6.20	0.90 – 6.00 – 6.30	0.90 – 7.00 – 7.40		4 680 лв.
AUXG24KRL / AOHG24KATA	A++ / A+	4.00 / 6.10	0.90 – 6.80 – 7.40	0.90 – 7.50 – 8.60		4 980 лв.
AUXG30KRL / AOHG30KATA	A++ / A+	4.00 / 6.10	2.80 – 8.50 – 9.60	2.70 – 10.00 – 10.80		5 580 лв.
AUXG36KRL / AOHG36KATA	A++ / A+	4.00 / 6.10	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		6 080 лв.
AUXG45KRL / AOHG45KATA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		7 280 лв.
AUXG54KRL / AOHG54KATA			4.50 – 13.40 – 13.80	4.70 – 15.50 – 16.00	8 280 лв.	
СЕРИЯ KRL PRO черен монофазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C						
AUXG18KRL / AOHG18KBTB	A++ / A+	4.30 / 7.00	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		4 880 лв.

AUXG22KRLB / AOHG22KBTB	A++ / A+	4.40 / 7.00	0.90 – 6.00 – 6.70	0.90 – 7.00 – 8.00		5 080 лв.	
AUXG24KRLB / AOHG24KBTB	A++ / A+	4.20 / 6.60	0.90 – 6.80 – 8.00	0.90 – 7.50 – 9.10		5 380 лв.	
AUXG30KRLB / AOHG30KBTB	A++ / A+	4.30 / 6.70	2.80 – 8.50 – 10.00	2.70 – 10.00 – 11.20		5 980 лв.	
AUXG36KRLB / AOHG36KBTB	A++ / A+	4.30 / 6.55	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 480 лв.	
AUXG45KRLB / AOHG45KBTB			4.00 – 12.10 – 14.00	4.20 – 13.50 – 16.20		7 680 лв.	
AUXG54KRLB / AOHG54KBTB			4.50 – 13.40 – 14.50	4.70 – 15.50 – 16.50		9 280 лв.	
СЕРИЯ KRL ECO черен трифазни Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
AUXG36KRLB / AOHG36KQTA	A++ / A+	4.00 / 6.10	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		6 380 лв.	
AUXG45KRLB / AOHG45KQTA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		7 580 лв.	
AUXG54KRLB / AOHG54KQTA			4.50 – 13.40 – 13.80	4.70 – 15.50 – 16.00		8 580 лв.	
СЕРИЯ KRL PRO черен трифазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
AUXG36KRLB / AOHG36KBTA	A++ / A+	4.30 / 6.55	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 880 лв.	
AUXG45KRLB / AOHG45KBTA			4.00 – 12.10 – 14.00	4.20 – 13.50 – 16.20		8 080 лв.	
AUXG54KRLB / AOHG54KBTA			4.50 – 13.40 – 14.50	4.70 – 15.50 – 16.50		9 680 лв.	
ИНВЕРТОРНИ СПЛИТ СИСТЕМИ КАНАЛЕН ТИП С ФРЕОН R32							
СЕРИЯ KLL ECO Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG09KLLAP / AOHG09KATA	A+ / A	3.80 / 5.90	0.90 – 2.50 – 2.70	0.90 – 3.20 – 3.90		3 050 лв.	
ARXG12KLLAP / AOHG12KATA	A+ / A	3.80 / 5.80	0.90 – 3.50 – 3.70	0.90 – 4.10 – 4.40		3 250 лв.	
ARXG14KLLAP / AOHG14KATA	A+ / A	3.80 / 5.60	0.90 – 4.30 – 4.50	0.90 – 5.00 – 5.30		3 500 лв.	
ARXG18KLLAP / AOHG18KATA	A+ / A	3.80 / 5.80	0.90 – 5.20 – 5.40	0.90 – 6.00 – 6.30		3 800 лв.	
СЕРИЯ KLL PRO Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG09KLLAP / AOHG09KBTB	A++ / A+	4.30 / 6.20	0.90 – 2.50 – 3.20	0.90 – 3.20 – 4.70		3 450 лв.	
ARXG12KLLAP / AOHG12KBTB	A++ / A+	4.00 / 6.10	0.90 – 3.50 – 4.40	0.90 – 4.10 – 5.70		3 700 лв.	
ARXG14KLLAP / AOHG14KBTB	A+ / A	3.90 / 5.80	0.90 – 4.30 – 5.40	0.90 – 5.00 – 6.50		3 950 лв.	
ARXG18KLLAP / AOHG18KBTB	A++ / A+	4.10 / 6.20	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		4 250 лв.	
СЕРИЯ KHT монофазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG45KHTB / AOHG45KBTB			4.00 – 12.10 – 14.00	5.00 – 13.50 – 16.20		7 000 лв.	
ARXG54KHTB / AOHG54KBTB			5.00 – 13.40 – 14.50	5.50 – 15.50 – 18.00		9 000 лв.	
СЕРИЯ KHT трифазни Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG45KHTB / AOHG45KRТА			4.00 – 12.10 – 14.00	5.00 – 13.50 – 16.20		7 700 лв.	
ARXG54KHTB / AOHG54KRТА			5.00 – 13.40 – 14.50	5.50 – 15.50 – 18.00		9 700 лв.	
СЕРИЯ KHT монофазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG12KHTAP / AOHG12KBTB	A++ / A+	4.10 / 6.30	0.90 – 3.50 – 4.40	0.90 – 4.10 – 5.70		4 500 лв.	
ARXG14KHTAP / AOHG14KBTB	A++ / A+	4.00 / 6.20	0.90 – 4.30 – 5.40	0.90 – 5.00 – 6.50		4 700 лв.	
ARXG18KHTAP / AOHG18KBTB	A++ / A+	4.10 / 6.50	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		4 950 лв.	
ARXG22KHTAP / AOHG22KBTB	A++ / A+	4.20 / 6.50	0.90 – 6.00 – 6.70	0.90 – 7.00 – 8.00		5 150 лв.	
ARXG24KHTAP / AOHG24KBTB	A++ / A+	4.10 / 6.50	0.90 – 6.80 – 8.00	0.90 – 7.50 – 9.10		5 350 лв.	
ARXG30KHTAP / AOHG30KBTB	A++ / A+	4.00 / 6.23	2.80 – 8.50 – 10.00	2.70 – 10.00 – 11.20		6 750 лв.	
ARXG36KHTAP / AOHG36KBTB	A++ / A+	4.20 / 6.10	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 950 лв.	
ARXG45KHTAP / AOHG45KBTB			4.00 – 12.10 – 14.00	4.20 – 13.50 – 16.20		7 750 лв.	
ARXG54KHTAP / AOHG54KBTB			4.50 – 13.40 – 14.50	4.70 – 15.50 – 16.50		10 650 лв.	
СЕРИЯ KHT трифазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG36KHTAP / AOHG36KRТА	A++ / A+	4.20 / 6.10	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70			7 150 лв.
ARXG45KHTAP / AOHG45KRТА			4.00 – 12.10 – 14.00	4.20 – 13.50 – 16.20	8 150 лв.		
ARXG54KHTAP / AOHG54KRТА			4.50 – 13.40 – 14.50	4.70 – 15.50 – 16.50	10 850 лв.		
СЕРИЯ KML ECO монофазни Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG22KMLB / AOHG22KATA	A+ / A	3.80 / 5.80	0.90 – 6.00 – 6.30	0.90 – 7.00 – 7.40		3 880 лв.	
ARXG24KMLA / AOHG24KATA	A+ / A	3.90 / 5.90	0.90 – 6.80 – 7.40	0.90 – 7.50 – 8.60		4 100 лв.	
ARXG30KMLA / AOHG30KATA	A+ / A	3.90 / 5.80	2.80 – 8.50 – 9.60	2.70 – 10.00 – 10.80		5 280 лв.	
ARXG36KMLA / AOHG36KATA	A+ / A	3.90 / 5.60	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		5 700 лв.	
ARXG45KMLA / AOHG45KATA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		6 650 лв.	
СЕРИЯ KML PRO монофазни Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C							
ARXG22KMLB / AOHG22KBTB	A++ / A+	4.10 / 6.10	0.90 – 6.00 – 6.70	0.90 – 7.00 – 8.00		4 450 лв.	

ARXG24KMLA / AOHG24KBTB	A++ / A+	4.10 / 6.20	0.90 – 6.80 – 8.00	0.90 – 7.50 – 9.10		4 550 лв.
ARXG30KMLA / AOHG30KBTB	A++ / A+	4.00 / 6.23	2.80 – 8.50 – 10.00	2.70 – 10.00 – 11.20		5 950 лв.
ARXG36KMLA / AOHG36KBTB	A++ / A+	4.00 / 6.00	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 350 лв.
ARXG45KMLA / AOHG45KBTB			4.00 – 12.10 – 13.00	4.20 – 13.50 – 15.20		7 350 лв.
СЕРИЯ KML ECO трифазни		Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
ARXG36KMLA / AOHG36KQTA	A+ / A	3.90 / 5.60	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		5 850 лв.
ARXG45KMLA / AOHG45KQTA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		6 800 лв.
СЕРИЯ KML PRO трифазни		Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
ARXG36KMLA / AOHG36KRTA	A++ / A+	4.00 / 6.10	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 650 лв.
ARXG45KMLA / AOHG45KRTA			4.00 – 12.10 – 13.00	4.20 – 13.50 – 15.20		7 650 лв.
ИНВЕРТОРНИ СПЛИТ СИСТЕМИ ТАВАНЕН ТИП С ФРЕОН R32						
СЕРИЯ KRT ECO монофазни		Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
ABHG18KRTA / AOHG18KATA	A+ / A	3.80 / 5.80	0.90 – 5.20 – 5.40	0.90 – 6.00 – 6.30		3 650 лв.
ABHG22KRTA / AOHG22KATA	A+ / A	3.80 / 5.60	0.90 – 6.00 – 6.30	0.90 – 7.00 – 7.40		4 050 лв.
ABHG24KRTA / AOHG24KATA	A+ / A	3.90 / 6.00	0.90 – 6.80 – 7.40	0.90 – 7.50 – 8.60		4 450 лв.
ABHG30KRTA / AOHG30KATA	A+ / A	3.90 / 5.80	2.80 – 8.50 – 9.60	2.70 – 10.00 – 10.80		5 900 лв.
ABHG36KRTA / AOHG36KATA	A+ / A	3.90 / 5.60	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		6 100 лв.
ABHG45KRTA / AOHG45KATA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		7 100 лв.
СЕРИЯ KRT PRO монофазни		Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
ABHG18KRTA / AOHG18KBTB	A++ / A+	4.10 / 6.20	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		4 150 лв.
ABHG22KRTA / AOHG22KBTB	A++ / A+	4.00 / 6.10	0.90 – 6.00 – 6.70	0.90 – 7.00 – 8.00		4 550 лв.
ABHG24KRTA / AOHG24KBTB	A++ / A+	4.10 / 6.20	0.90 – 6.80 – 8.00	0.90 – 7.50 – 9.10		4 950 лв.
ABHG30KRTA / AOHG30KBTB	A++ / A+	4.00 / 6.10	2.80 – 8.50 – 10.00	2.70 – 10.00 – 11.20		6 650 лв.
ABHG36KRTA / AOHG36KBTB	A++ / A+	4.20 / 6.37	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		6 850 лв.
ABHG45KRTA / AOHG45KBTB			4.00 – 12.10 – 13.50	4.20 – 13.50 – 16.20		7 750 лв.
СЕРИЯ KRT ECO трифазни		Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
ABHG36KRTA / AOHG36KQTA	A+ / A	3.90 / 5.60	2.80 – 9.50 – 10.60	2.70 – 10.80 – 12.50		6 350 лв.
ABHG45KRTA / AOHG45KQTA			4.00 – 12.10 – 12.60	4.20 – 13.50 – 15.00		7 350 лв.
СЕРИЯ KRT PRO трифазни		Работен диапазон при охлаждане: -15 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
ABHG36KRTA / AOHG36KRTA	A++ / A+	4.21 / 6.37	2.80 – 9.50 – 11.20	2.70 – 10.80 – 12.70		7 150 лв.
ABHG45KRTA / AOHG45KRTA			4.00 – 12.10 – 13.50	4.20 – 13.50 – 16.20		8 150 лв.
ABHG54KRTA / AOHG54KRTA			4.50 – 13.40 – 14.50	4.70 – 15.50 – 16.50		10 550 лв.
ИНВЕРТОРНИ СПЛИТ СИСТЕМИ ПОДОВО-ТАВАНЕН ТИП С ФРЕОН R410A						
СЕРИЯ LRT						
ABHG18LVTB / AOHG18LBCB	A++ / A+	4.00 / 6.10	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		3 499 лв.
ABHG24LVTA / AOHG24LBCB	A+ / A	3.90 / 5.60	0.90 – 6.80 – 8.00	0.90 – 8.00 – 9.10		3 849 лв.
ABHG30LRTE / AOHG30LETL	A++ / A+	4.20 / 6.10	2.80 – 8.50 – 10.00	2.70 – 10.00 – 11.20		5 999 лв.
ABHG36LRTE / AOHG36LETL	A+ / A+	4.10 / 6.00	2.80 – 9.40 – 11.20	2.70 – 11.20 – 12.70		6 299 лв.
ИНВЕРТОРНИ СПЛИТ СИСТЕМИ КАСЕТЪЧЕН ТИП С ФРЕОН R410A						
СЕРИЯ LVL		Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
AUHG12LVLB / AOHG12LALL	A++ / A+	4.10 / 6.20	0.90 – 3.50 – 4.40	0.90 – 4.10 – 5.70		3 150 лв.
AUHG14LVLB / AOHG14LALL	A++ / A+	4.40 / 6.40	0.90 – 4.30 – 5.40	0.90 – 5.00 – 6.50		3 450 лв.
AUHG18LVLB / AOHG18LBCB	A++ / A+	4.20 / 6.20	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		3 650 лв.
AUHG18LVLB / AOHG18LBCB	A++ / A+	4.20 / 6.20	0.90 – 5.20 – 5.90	0.90 – 6.00 – 7.50		3 650 лв.
СЕРИЯ LRL		Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
AUHG45LRLA / AOHG45LETL	A / A	3.22 / 3.71	4.00 – 12.50 – 14.00	4.20 – 14.00 – 16.20		6 490 лв.
ИНВЕРТОРНИ СПЛИТ СИСТЕМИ КАНАЛЕН ТИП С ФРЕОН R410A						
СЕРИЯ LLTB		Работен диапазон при охлаждане: -10 ~ 46 °C. Работен диапазон при отопление: -15 ~ 24 °C				
ARHG14LLTB / AOHG14LALL	A+ / A	3.90 / 5.80	0.90 – 4.30 – 5.40	0.90 – 5.00 – 6.50		3 400 лв.

ARHG30LMLE / AOHG30LETL	A+ / A	3.90 / 5.90	2.80 – 8.50 – 10.00	2.70 – 10.00 – 11.20		4 200 лв.
СЕРИЯ LHTA трифазни Работен диапазон при охлаждане: -10 ~ 46 °С. Работен диапазон при отопление: -15 ~ 24 °С						
ARHG60LHTA / AOHG60LATT		3.50 / 3.19	6.20 – 15.00 – 17.50	6.20 – 18.00 – 20.00		10 999 лв.
ARHG72LHTA / AOHG72LRLA		3.40 / 2.94	8.40 – 19.00 – 20.90	7.20 – 22.40 – 24.60		13 999 лв.
ARHG90LHTA / AOHG90LRLA		3.30 / 2.83	10.30 – 22.00 – 24.20	8.50 – 27.00 – 29.70		15 299 лв.
КОМПРЕСОРНО КОНДЕНЗАТОРНИ АГРЕГАТИ						
монофазни	Всички тела са с вграден ТРВ.					
АОHG09KBTB	A++ / A+	4.00 / 6.10	0.90 - 2.50 - 3.20	0.90 - 3.20 - 4.70		2 650 лв.
АОHG12KBTB	A++ / A+	4.10 / 6.30	0.90 - 3.50 - 4.40	0.90 - 4.10 - 5.70		2 750 лв.
АОHG14KBTB	A++ / A+	4.00 / 6.20	0.90 - 4.30 - 5.40	0.90 - 5.00 - 6.50		2 950 лв.
АОHG18KBTB	A++ / A+	4.10 / 6.50	0.90 - 5.20 - 5.90	0.90 - 6.00 - 7.50		3 150 лв.
АОHG22KBTB	A++ / A+	4.20 / 6.50	0.90 - 6.00 - 6.70	0.90 - 7.00 - 8.00		3 400 лв.
АОHG24KBTB	A++ / A+	4.10 / 6.50	0.90 - 6.80 - 8.00	0.90 - 7.50 - 9.10		3 600 лв.
АОHG30KBTB	A++ / A+	4.00 / 6.23	2.80 - 8.50 - 10.00	2.70 - 10.00 - 11.20		4 400 лв.
АОHG36KBTB	A++ / A+	4.20 / 6.10	2.80 - 9.50 - 11.20	2.70 - 10.80 - 12.70		3 880 лв.
АОHG45KBTB	A++ / A+		4.00 - 12.10 - 14.00	4.20 - 13.50 - 16.20		4 980 лв.
АОHG54KBTB	A++ / A+		4.50 - 13.40 - 14.50	4.70 - 15.50 - 16.50		6 499 лв.
трифазни	Всички тела са с вграден ТРВ.					
АОHG36KRTA	A++ / A+	4.20 / 6.10	2.80 - 9.50 - 11.20	2.70 - 10.80 - 12.70		4 380 лв.
АОHG45KRTA			4.00 - 12.10 - 14.00	4.20 - 13.50 - 16.20		5 480 лв.
АОHG54KRTA			4.50 - 13.40 - 14.50	4.70 - 15.50 - 16.50		6 840 лв.